



广微测
Gmicro Testing



201819000883



中国认可
国际互认
检测
TESTING
CNAS L1747

GUANGDONG DETECTION CENTER OF MICROBIOLOGY

REPORT FOR ANALYSIS

Report №.

2020FM16448R01Ea

Name of Sample

UBET Clean Zeolite Functional Materials

Applicant

Alpha Advanced Technologies, Co. Ltd.

Test Type

Entrustment Test



Address: Building 66, No.100 Central Xian Lie Road, Guangzhou, China

Postcode: 510070

Tel: +86 20 87137666

Fax : +86 20 87137668

Website : www.gddcm.com



广微测
Gmicro Testing



201819000883




中国认可
国际互认
检测
TESTING
CNAS L1747

GUANGDONG DETECTION CENTER OF MICROBIOLOGY



REPORT FOR ANALYSIS

Report №.:2020FM16448R01Ea Verification Code: 47281639

Name of Sample	UBET Clean Zeolite Functional Materials	Test Type	Entrustment Test
Applicant	Alpha Advanced Technologies, Co. Ltd.	Address	G/F, 631-633 Reclamation Street, Mongkok, Kowloon, Hong Kong
Sample Source	Submitted for Testing by the Applicant	Sample Quantity	One bottle
Spec and Lot № of Sample	2020/05/18	State and Characteristic	Granular
Sample Received Date	2020-06-04	Test Completion Date	2020-07-06
Test Standard and Method	QB/T 2761-2006		
Item Tested	Ammonia removal rate		
Test Conclusion	The test data of the sample(s) is attached to the page(s) of this report.		
Remarks	<p>Issue Date: 2020-07-15 (Official Seal)</p> 		

生物
检测

Editor: *Qiunanchun*

Verifier: *Sun Jias*

Approver: *Xie Xiaobao*



GUANGDONG DETECTION CENTER OF MICROBIOLOGY

ANALYSIS AND TEST RESULT

Report No.: 2020FM16448R01Ea

Test pollutants	Action time	Result		Removal rate (%)
		Concentration at 24h in blank control cabin (mg/m ³)	Concentration at 24h in test cabin (mg/m ³)	
Ammonia	24h	2.12	0.359	83.1
(Blank below)				
Remarks	200g sample was placed in a 1.5m ³ test cabin to test the removal rate.			





Report №.: 2020FM16448R01Ea

Notice Items

1. The Test report is invalid if not affixed with Authorized Stamp of Test and Paging Seal.
2. The Test report is invalid without signature of verifier and approver.
3. The Test report is invalid if being supplemented, deleted or altered.
4. Without prior written permission, the report cannot be reproduced, except in full.
5. Unless otherwise stated, the results shown in this test report refer only to the sample(s) submitted.
6. Any dispute of the report must be raised to the testing body within 15 days after the report is received, exceeding which the dispute will not be accepted.
7. For the tested sample(s) submitted by the applicant, the sample information in the test report is provided by the applicant and the laboratory is not responsible for its authenticity.

